



RAFG21042 Glass Door Advanced Laboratory Refrigerator

| Part Number | RAFG21042 |
|-------------------------------------|-------------------------------|
| Capacity (Litres) | 571 |
| Style | Freestanding |
| Exterior Dimensions (HxWxD) | 1980 x 720 x 820mm |
| Energy Consumption | 5.832 kWh/24h |
| Operating Temperature | +4°C |
| Temperature Set Point Range | +2°C to +10°C |
| Interior Construction | Stainless Steel |
| Exterior Construction | Powder Coated Stainless Steel |
| Shelves | 4 |
| Shelf dimensions (W x D) | 530 x 650mm |
| Door Hinging | Right |
| Door Style | Glass |
| Front Lockable Castors | ✓ |
| Door Lock | ✓ |
| Access Port | Optional Extra |
| Digital Temperature Control | ✓ |
| Digital Temperature Display | ✓ |
| High Temperature Alarm | ✓ |
| Low Temperature Alarm | ✓ |
| Door Open Alarm | ✓ |
| Maximum Temperature Display | ✓ |
| Minimum Temperature Display | ✓ |
| Remote Alarm Contacts | Optional |
| Auto Defrost | ✓ |
| Fan Assisted Cooling | ✓ |
| Environmentally Friendly Insulation | ✓ |
| Eco Friendly Refrigerant | ✓ |
| Ammonia Free | ✓ |

Robustly constructed from stainless steel this refrigerator from the **Labcold** Advanced Range is designed to provide close temperature control for temperature sensitive items.

In addition, remote alarm contacts can be fitted as well as access ports.



The air is continually circulated internally to ensure that where ever product is placed inside the cabinet, it stays within range. There is no internal 'step' and the interior is curved making it easy to clean and stock. The 4 heavy duty shelves are fully adjustable and more shelves can be purchased as an optional extra. The robust door is lockable and for increased security and convenience, self closing.

Insulated with Envirofoam, which is derived from plant rather than petrochemical oils, the refrigerant is also ammonia, HCFC and CFC free.

The cabinet is fitted with heavy duty, lockable castors making it easy to manoeuvre and clean behind which means this Advanced Laboratory refrigerator is ideal for demanding environments.





Wolflabs

Wolf Laboratories Limited

www.wolflabs.co.uk

Tel: 01759 301142

Fax: 01759 301143

sales@wolflabs.co.uk



Use the above details to contact us if this literature doesn't answer all your questions.

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

